# BRA för Göteborg.



. . 43

Airport Location Name Number of faces Format Gross price / month Installation Campaign period Materail deadline

and Imm

47

Göteborg Landvetter Airport Located in the passenger flows towards the domestic check-in GOT-207 14 glass panels Totally 22 120 x 1 210 mm 150 000 SEK Not included Monthly Minimum 5 working days before campaigne start

BRA för Sverige.

1

# Specifications sheet

GOT-207

#### **Delivery address:**

Swedavia AB c/o SPIRIT Air Cargo Flygfraktsvägen 7 Fraktzon A uppgång C 438 70 Landvetter ATT: Therse Henke Delivery: Monday to Friday, 06:00-22:00

# Contact:

Therese Henke

070-6161842 therese.henke@swedavia.se

The material must be delivered no later than five working days before campaigne start.

**Technical details:** Number: 31 glass panes.

**Description of location:** Glass railing on the mezzanine level above the check-in counters.

# **Type of sign:** Foil.

**Space visible/image area (for original production):** See appendix.

**Production dimensions (including construction):** See appendix.

# Material (All material must be fire-classified):

The original should be printed mirror-wise on a transparent vinyl. For example on OraJet 3162G Transparent which is a removable campaign vinyl. This is then laminated with a white vinyl. The adhesive (glue) should be on the message side as the stickers are installed from the inside of the glass panes with the messages visible outward. The material should let through light, but does not need to be completely transparent). B1 flammability class as per DIN 4102.

# Packaging and marking:

The material must be clearly marked with the advertiser, campaign period, subject and indexnumber, as well as a picture of the subject. The material must also be clearly marked with the airport contact person.

# **Production:**

Since it is complicated to produce this product, production may only be carried out by a printing firm with enough knowledge about these systems. Contact Swedavia for further information.



**Contact Swedavia Advertising** airport.advertising@swedavia.se

# GOT-207





# **Specifications sheet Special**

GOT-207

### **Delivery address:**

Swedavia AB c/o SPIRIT Air Cargo Flygfraktsvägen 7 Fraktzon A uppgång C 438 70 Landvetter ATT: Nasim Witermark Delivery: Monday to Friday, 06:00-22:00

# **Contact:**

Nasim Witermark

010-109 31 07 nasim.witermark@swedavia.se

The material must be delivered no later than five working days before campaigne start.





**Technical details:** Number: 10 glass panes.

**Description of location:** Glass railing on escalator in check-in hall.

**Type of sign:** Foil.

**Space visible/image area (for original production):** See appendix.

**Production dimensions (including construction):** See appendix.

### Material (All material must be fire-classified):

The original should be printed on removable campaign vinyl with protecting laminate. The adhesive (glue) should be on the back as the stickers are installed from theoutside of the glass panes with the messages visible outward. The material should let through light, but does not need to be completely transparent). B1 flammability class as per DIN 4102.

# Packaging and marking:

The material must be clearly marked with the advertiser, campaign period, subject and indexnumber, as well as a picture of the subject. The material must also be clearly marked with the airport contact person.

#### **Production:**

Since it is complicated to produce this product, production may only be carried out by a printing firm with enough knowledge about these systems. Contact Swedavia for further information.

# GOT-207 Special





Sektion 1: 1 200 x 810 mm. OBS: endast enfärgat eller mönster pga rundade/ vinklade delar i denna sektion som kommer skäras till vid montering.

Sektion 2: 1 500 x 800 mm.

OBS: endast enfärgat eller mönster pga rundade/ vinklade delar i denna sektion som kommer skäras till vid montering.

Sektion 3: 1 200 x 770 mm.

Sektion 4: 1 200 x 770 mm.

Sektion 5: 1 200 x 770 mm.

Sektion 6: 900 x 770 mm.

Sektion 7: 900 x 770 mm.

Sektion 8: 1 200 x 770 mm.

Sektion 9: 3 000 x 800 mm. OBS: endast enfärgat eller mönster pga rundade/ vinklade delar i denna sektion som kommer skäras till vid montering.

Sektion 10: 1 200 x 810 mm. OBS: endast enfärgat eller mönster pga rundade/ vinklade delar i denna sektion som kommer skäras till vid montering.



GOT-207



